Centre Number			Candidate Number		
Surname					
Other Names					
Candidate Signature					



General Certificate of Secondary Education Higher Tier January 2013

Science A
Unit Chemistry C1

CH1HP



Chemistry Unit Chemistry C1

Monday 14 January 2013 9.00 am to 10.00 am

For this paper you must have:

- a ruler
- the Chemistry Data Sheet (enclosed).

You may use a calculator.

Time allowed

• 1 hour

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.


Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 60.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- Question 3(c) should be answered in continuous prose.
 - In this question you will be marked on your ability to:
 - use good English
 - organise information clearly
 - use specialist vocabulary where appropriate.

Advice


• In all calculations, show clearly how you work out your answer.





Answer all questions in the spaces provided.

1 The Sun produces helium atoms from hydrogen atoms by nuclear fusion reactions.



1 (a)	Describe the differences in the atomic structures of a hydrogen atom and a helium atom.
	(O /)
	(3 marks)



1 (b)	The Sun consists of 73% hydrogen and 25% helium. The rest is other elements. One of the other elements in the Sun is neon.	
	Use the Chemistry Data Sheet to help you to answer these questions.	
1 (b) (i)	Complete the diagram to show the electronic structure of a neon atom.	
	• (1 mark)	
1 (b) (ii)	Why is neon in the same group of the periodic table as helium?	
	(1 mark)	

Turn over for the next question




2 Carbon dioxide is produced when copper carbonate is heated.

A student investigated heating copper carbonate.

The student used the apparatus to measure how long it took for carbon dioxide to be produced.

The student also noted what happened during each minute for three minutes.



2 (a) The student used changes to the limewater to measure how long it took for carbon dioxide to be produced.

Describe how	N.		
			(2 marks)



2 (b) The student wrote down her observations.


Time interval in minutes	Observations		
Between 0 and 1	A slow release of gas bubbles. The limewater did not change. The solid in the test tube was green.		
Between 1 and 2	A fast release of gas bubbles. The limewater changed at 1 minute 10 seconds.		
Between 2 and 3	No release of gas bubbles. The solid in the test tube was black.		

2 (b) (i)	Suggest the reason for the student's observations between 0 and 1 minute	: <u>-</u>
		(2 marks)
2 (b) (ii)	Explain the student's observations between 1 and 2 minutes.	
2 (b) (;;;)	Evalois the student's charmations between 2 and 2 minutes	(2 marks)
2 (D) (III)	Explain the student's observations between 2 and 3 minutes.	
		(2 marks)

Turn over ▶

8








3	This question is about oil reserves.
3 (a)	Diesel is separated from crude oil by fractional distillation.
	Describe the steps involved in the fractional distillation of crude oil.
	(3 marks)
3 (b)	Diesel is a mixture of lots of different alkanes.
	What are alkanes?
	(2 marks)
	(2 marks)



3 (c) In this question you will be assessed on using good English, organising information clearly and using specialist terms where appropriate.

Petroleum products, such as petrol, are produced from crude oil. The graph shows the possible future production of petroleum products from crude oil and the expected demand for petroleum products.



Canada's oil sands hold about 20% of the world's known crude oil reserves.

The oil sands contain between 10 to 15% of crude oil. This crude oil is mainly bitumen.

In Canada the oil sands are found in the ground underneath a very large area of forest. The trees are removed. Then large diggers and trucks remove 30 metres depth of soil and rock to reach the oil sands. The oil sands are quarried. Boiling water is mixed with the quarried oil sands to separate the bitumen from the sand. Methane (natural gas) is burned to heat the water.

The mixture can be separated because bitumen floats on water and the sand sinks to the bottom of the water. The bitumen is cracked and the products are separated by fractional distillation.



	lse the information on page 8 and your knowledge and understanding to sugg dvantages and disadvantages of extracting petroleum products from oil sands
-	
•	
-	
•	
-	
-	
-	
•	
•	


Turn over ▶

11



- 4 Iceland has many volcanoes.
- 4 (a) Scientists are monitoring a volcano in Iceland, called Katla.

 There has been an increase in the number of tremors (small earthquakes) in this area.



4 (a) (i)	Why does Iceland have volcanoes?
	(1 mark)
4 (a) (ii)	Scientists predict that Katla may erupt soon. However, scientists do not know exactly when Katla will erupt.
	Suggest one reason why.
	(1 mark)



4 (b)	During the first billion years of the Earth's existence its surface was covered with volcanoes.
	Describe how this volcanic activity led to the formation of oceans.
	(2 marks)
4 (c)	The Earth has about 500 000 earthquakes each year.
	Describe how activity within the Earth results in earthquakes.

Turn over for the next question



5	Olive oil has a melting point of –6 °C and a boiling point of 300 °C. Olive oil has a high content of healthy, unsaturated fats.
5 (a)	Olive oil can be hardened by reacting it with hydrogen.
5 (a) (i)	State the conditions needed for this reaction.
	(2 marks)
5 (a) (ii)	A student said that hardening would make olive oil healthier.
	Is this student's hypothesis correct?
	Explain your answer in terms of what happens in the hardening process.
	(2 marks)
	(2 mano)



5 (b)	Olive oil and water do not mix. A salad dressing is made by shaking olive oil and water with an emulsifier.
	Olive oil Simplified emulsifier molecule Olive oil, water and emulsifier
	Explain how these emulsifier molecules are able to produce a stable mixture after shaking olive oil and water. Use the diagram of the simplified emulsifier molecule to help you to answer this question.

Turn over for the next question



(3 marks)



6	Most petrol u	ısed	in cars co	ntains	about 5%	ethano	ol (C ₂ H ₅ OH)).		
6 (a)	The complete	e cor	mbustion o	of etha	nol produ	ces car	bon dioxide	and w	ater.	
	Complete an	d ba	lance the	symbo	ol equation	for the	e complete c	combus	stion of et	hanol.
	C ₂ H ₅ OH	+	O ₂	\rightarrow				+		(2 marks)
6 (b)	Ethanol can The two cher	be pi mical	roduced fr	om oc s repre	tane (C ₈ H esent the _I	I ₁₈). oroduct	ion of ethan	ol from	octane.	
	Equation 1:				C ₈ H ₁₈	\rightarrow	C ₄ H ₁₀	+	2C ₂ H ₄	
	Equation 2:		C_2H_4	+	H ₂ O	\rightarrow	C ₂ H ₅ OH			
6 (b) (i)	In Equation	1 the	e products	are a	mixture o	f two ga	ases.			
	Describe a comixture.	hemi	cal test th	at wou	ıld indicat	e the pi	resence of e	thene	(C ₂ H ₄) in	the
										(2 morks)
										(2 marks)



6 (b) (ii)	Describe, as fully as you can, the conditions used for the two reactions to produce ethanol from octane.
	Use Equation 1 and Equation 2 to help you with your answer.
	(4 marks)

Turn over for the next question



	Iron	Titanium
	Iron oxide is reacted with coke (carbon) at 1500 °C in a furnace to produce molten cast iron. Cast iron contains iron and about 4% carbon.	Titanium oxide is reacted with chlorine at 1000 °C to produce titanium chloride Titanium chloride is cooled and collected.
	Oxygen is blown into molten cast iron and molten recycled iron at 1500 °C in a furnace to produce low-carbon steel. Low-carbon steel contains iron and about 0.1% carbon.	Titanium chloride is reacted with magnesium at 1100 °C in a sealed reactor for 3 days. The sealed reactor contains an atmosphere of argon gas.
)	argon.	The reactor is allowed to cool. The reactor is opened and the titanium is separated from the other product, magnesium chloride. Exception but the production of titanium uses
)		The reactor is opened and the titanium is separated from the other product, magnesium chloride.
)	argon.	The reactor is opened and the titanium is separated from the other product, magnesium chloride.
•	argon.	The reactor is opened and the titanium is separated from the other product, magnesium chloride.
)	argon.	The reactor is opened and the titanium is separated from the other product, magnesium chloride.
)	argon.	The reactor is opened and the titanium is separated from the other product, magnesium chloride.
)	argon.	The reactor is opened and the titanium is separated from the other product, magnesium chloride.



7 (b)	There is less titanium than iron in the Earth's crust.							
	Apart from titanium's scarcity, explain why titanium costs much more than iron.							
	Use the two flow diagrams on page 16 to help you to answer this question.							
	(2 marka)							
7 (0)	(3 marks)							
7 (c)	Many chemical reactions take place in the production of both metals.							
	A chemical reaction in the production of iron is:							
	$2Fe_2O_3 + 3C \rightarrow 4Fe + 3CO_2$							
	A chemical reaction in the production of titanium is:							
	$TiCl_4$ + $2Mg \rightarrow Ti$ + $2MgCl_2$							
	Titanium can be used to produce iron from iron oxide. The chemical reaction is:							
	$2 \operatorname{Fe_2O_3}$ + $3 \operatorname{Ti} \rightarrow 4 \operatorname{Fe}$ + $3 \operatorname{TiO_2}$							
	Use these three reactions and the Chemistry Data Sheet to answer this question.							
	Suggest the position of titanium in the Reactivity Series of Metals.							
	Explain your answer.							
	(2 marks)							
	(2 marks)							





Scientists study the atmosphere on planets and moons in the Solar System to understand how the Earth's atmosphere may have evolved.

Titan is the largest moon of Saturn.

The table shows data about some substances in the atmosphere of Titan.

Substance	Melting point in °C	Boiling point in °C
Nitrogen	-210	-196
Methane	-183	-164
Argon	-189	-186
Hydrogen	-259	-253
Carbon monoxide	-205	-192

8 (a)	There is no water on Titan. The average surface temperature on Titan is -179	°C.
	Which of the substances in the table would form oceans on Titan?	
	Explain your answer.	
		(2 marks)



8 (b)	Amino acids are essential to life.
	In the 1950s the Miller-Urey experiment showed that simple amino acids, such as glycine ($\mathrm{NH_2CH_2COOH}$), could have been produced from the Earth's early atmosphere.
	The Miller-Urey experiment showed that simple amino acids could be produced by reactions between hydrocarbons, ammonia and water.
	Explain how the Miller-Urey experiment suggests that reactions between the substances in Titan's atmosphere could also produce simple amino acids.
	(4 marks)

| |-

END OF QUESTIONS





